

SVJ4260SH

4U 60 Drive High-Density Enterprise Storage Solution



The 4U 60 platform is designed to meet your storage needs. Designed to be versatile, reliable, and cost effective, the 4U 60 provides reliable capacity in an extremely efficient footprint.

Specifications

Chassis	
Form Factor	4U EIA 19"
Capacity	<ul style="list-style-type: none">• 60 Large Form Factor Drives Large Form Factor (LFF)• 120 Small Form Factor Drives Small Form Factor (SFF)
Drives	SAS, NL SAS or SATA HDD or SSD, 18 W maximum (per drive carrier). 2:1 drive carrier for SFF drives (for SFF drives, paddle card is integrated in drive carrier for power control)
Base plane	12Gb/s base plane
Rack Mounting	EIA 310-D 19" rackmount
I/O Module	
Host Connection	<ul style="list-style-type: none">• 2 HD Mini-SAS (SFF8644) connectors per module• Each port is x4-12Gb/s SAS• 96 Gb/s maximum bandwidth• Powered/12C supporting active cables
Internal connections	PMC PM8055 12Gb/s Expander
Form factor	SAS3 12Bb/s compliant SBB 2.1 canister
Management	In-band SCSI Enclosure Services

STACK[®]
VELOCITY

SVJ4260SH

4U 60 Drive High-Density Enterprise Storage Solution

Reliability, Availability & Serviceability	
Hot Swap	<ul style="list-style-type: none">· Top access hot swap drives for easy maintenance· 4 hot swap power supply modules· 2 hot swap fan expander modules· 2 hot swap I/O modules
Passive Chassis	No active components in the data path reduces probability of downtime due to component failure
Physical	
Dimensions (h x w x d)	6.9" x 17.6" x 35"
Weight	<ul style="list-style-type: none">· Without drives: 90 lbs· Fully Populated: < 200 lbs
Power	950W x 2 PSUs 1 + 1 Redundancy, Gold certified
Environmental	
Operating Environment	<ul style="list-style-type: none">· 10° C to 35°C operating· RH 20-80% non-condensing· Altitude 0 - 10,000 ft.
Acoustic	Measured sound power level less than 7.5 B LwA
Compliance	
Environmental Compliance	RoHS2, China RoHS, WEEE

Warranties and Limitation of Liability

This document provided by StackVelocity is provided "as is" without warranties of any kind, whether express or implied, including but not limited to implied warranties of merchantability, fitness for a particular purpose, and non-infringement. StackVelocity has made every effort to include accurate and timely information about its products and services. However, StackVelocity has not made and does not make any warranties or representations as to its accuracy or completeness. StackVelocity assumes no liability or responsibility for any errors or omissions in this document. When you use such StackVelocity information, you are doing so at your own risk and you expressly understand and agree that under no circumstances shall StackVelocity be liable for any direct, indirect, incidental, special, consequential or exemplary damages resulting from your use of this document.

